

[Cart](#)

SEARCH

Search &gt;

# QuickCalcs

1. [Select category](#) 2. [Choose calculator](#) 3. [Enter data](#) 4. **View results**

## Unpaired *t* test results

### P value and statistical significance:

The two-tailed P value is less than 0.0001

By conventional criteria, this difference is considered to be extremely statistically significant.

### Confidence interval:

The mean of 1/2000 - 12/2005 minus 1/2006 - 6/2011 (draft cert) equals 0.073372

95% confidence interval of this difference: From 0.039390 to 0.107353

### Intermediate values used in calculations:

$t = 4.2522$

$df = 253$


standard error of difference = 0.017

### Learn more:

GraphPad's web site includes portions of the manual for GraphPad Prism that can help you learn statistics. First, review the meaning of [P values](#) and [confidence intervals](#). Then learn how to interpret results from an [unpaired](#) or [paired](#) *t* test. These links include GraphPad's popular *analysis checklists*.

### Review your data:

Group	1/2000 - 12/2005	1/2006 - 6/2011 (draft cert)
Mean	0.134054	0.060682
SD	0.177015	0.026012
SEM	0.014551	0.002515
N	148	107



## GraphPad Prism

Organize, analyze and graph and present your scientific data.

[MORE >](#)



## InStat

With InStat® you can analyze data in a few minutes.

[MORE >](#)



## StatMate

StatMate® calculates sample size and power.

[MORE >](#)



Questions about curve  
fitting or statistics?  
More >